



HUNTING

20
24

41 +
BRANDS

153 +
MODELS OF WEAPONS

1150+
PRODUCTS

87 +
PROFESSIONAL SHOOTERS

37 +
COUNTRIES

WHO WE ARE	2
HOW TO ORDER	4
TERMS AND CONDITIONS	5
RED DOT	6
REVOLUTION STOCKS	10
RIBS	15
SIGHT AND REAR SIGHTS	18
MULTI RED DOT BASES	20
PICATINNY RAILS	21
OVERSIZED BUTTONS AND SAFETIES	23
OVERSIZED BOLT HANDLES	24
ADJUSTMENT STOCK KIT	26
SOFT CHEEK PAD	28
CHEEK RESTS	31
MAGAZINE TUBE EXTENSIONS	32
BARREL CLAMPS	34

Who we are

We are an Italian company that, since 2004 produces high quality aftermarket goods, firearm accessories and components for most of the weapons present on the market.

We operate within a wide range of sectors: dynamic shooting, clay target shooting, tactical shooting, and hunting. Our unique design and the vast choice of colors are some of the key contributors to our success. The excellent quality of our products is achieved by choosing only the best raw materials, by centralized manufacturing process and thanks to advanced technology machinery. We also guarantee a swift and reliable after-sales customer assistance.


Now Toni System boasts many collaborations with important brands, such as Beretta, and with professionals shooters from different sectors. Currently we have a distribution network in 26 countries globally.



Production department

Mission

Our ultimate goal is that of satisfying the needs of each customer through the creation and development of new products that are aligned with the latest development in the market, but without compromising the unique style that always distinguished us. We aim at keeping and ever improving our quality standards with passion and expertise and becoming one of the world's leading brands in the sector, for amateurs and professionals worldwide.



Sight rib in raw material

History

In the early 40's, the passion of Vito Toni for the construction of weapons, made him the forefather of this company. Over the years he was able to create a laboratory, sometimes purchasing sometimes creating and handcrafting the first working tools. During the 70's his son Franco Toni joined the company, with whom the passion and professionalism in the construction and repair of weapons is consolidated, the result of experience and passion handed over from father to son. In the 2000's, with the entry of Franco's son, Francesco Toni, the production of the first accessories for weapons began. It will be Francesco, using his creativity and knowledge in the field of weapons and background in mechanical engineering, to found Toni System, thus transforming a small local business into an innovating company exporting all over the world.



Vito Toni in his workshop



Francesco Toni at 5 years old in family's workshop

Territory and traditions

Toni System has its foundation in the heart of Italy, precisely in the Sabina territory, a land full of history and tradition. Each of our products represents the craftsmanship and know-how that characterizes Made in Italy worldwide.




View of Magliano Sabina, picture of Mattia Bernabei

How to order

To choose the color, add the color's code to the product code (separated by an hyphen)

Example (to order PAD1 in red):



Black -BK



Red -RE



Blue -BL



Silver -SI



Sand -SA



Orange -OR



- All aluminium components are colored by anodizing process.
- All polymer components are available only in black color.
- The colors tone could change by the time.

Terms and conditions

Toni System reserves the right to make any changes it deems necessary for the improvement of the products displayed in the catalogue, and/or to implement price changes for the products in the catalogue at any time for production or Factory reason and or purposes, without prior notice.

All images in this catalogue are for illustrative purposes only. The colors displayed in the catalogue may vary from the original products for technical or strictly printing related reasons.

All pictures, images and information in this catalog are property of Toni Vito Srl, unauthorized use and/ or distribution is prohibited.

The prices displayed in the catalog are to be considered retail prices VAT included.

Warnings

Handle with care, open carefully. Assembly of some products may require specialized personnel with suitable equipment. Do not modify or tamper the parts. If you encounter difficulties in assembly, contact the company.

Warranty

Toni System, producing everything internally, offers a lifetime product guarantee. Depending on the type of problem Toni System will repair, replace or refund a product due to manufacturing or workmanship defects. This warranty is limited. Exclusions include normal wear and tear, misuse and abuse. Please contact us by phone or e-mail if you encounter any problems.

Akkar®, Baikal®, Benelli®, Beretta®, Bernardelli®, Breda®, Browning®, Fabarm®, Franchi®, Hatsan®, Heckler&Koch®, Iron®, Izmash®, Marlin®, Marocchi®, Markel®, Mossberg®, Remington®, Ruger®, Stoeger®, Verney Carron®, Winchester® : these trademarks owned by their respective companies and used only for descriptive purposes.

Red dot

ZR series

Code	Moa	Price €
ZR2OPT	2	380,00
ZR4OPT	4	380,00
ZR6OPT	6	380,00
ZR8OPT	8	380,00
ZR10OPT	10	380,00
ZR16OPT	16	380,00

Features:

- Dimensions: 51x28x33mm
- Lens: 25x22mm
- Max elevation adjustment range: 120 moa
- Max windage adjustment range: 70 moa
- Illumination levels: 10
- Parallax free at 70 mt
- Anti reflective lens
- Zoom 1x
- Weight: 40g
- Shockproof: 1000G
- Waterproof: 2mt



Includes::

Red dot / Weaver base / CR2032 battery / Hex allen keys / Screws / Cover / Instructions.

ZX series

Code	Moa	Price €
ZX4OPT	4	380,00
ZX6OPT	6	380,00
ZX8OPT	8	380,00

Features:

- Dimensions: 56x29x32mm
- Lens: 26x21mm
- Max elevation adjustment range: 110 moa
- Max windage adjustment range: 70 moa
- Illumination levels: 10
- Parallax free at 70 mt
- Anti reflective lens
- Zoom 1x
- Weight: 41,5 g
- Shockproof: 1000G
- Waterproof: 2mt



Includes::

Red dot / Weaver base / CR2032 battery / Hex allen keys / Screws / Cover / Instructions.

ZT series

Code	Moa	Price €
ZT6OPT	6	380,00

Features:

- Dimensions: 45x27x27mm
- Lens: 24x15mm
- Max elevation adjustment range: 140 moa
- Max windage adjustment range: 100 moa
- Automatic brightness adjustment
- Parallax free at 70 mt
- Anti reflective lens
- Zoom 1x
- Weight: 33 g
- Shockproof: 1000G
- Waterproof: 2mt



Includes::

Red dot / Weaver base / CR2032 battery / Hex allen keys / Screws / Cover / Instructions.

Additional accessories

Code	Compatibility	Description	Price €
CBRD	ZR - ZX - ZT	Quick-extraction battery tray	17,00
ZRCOV1	ZR	Polymer cover. Compatible with CBRD	19,50
ZXCOV1	ZX	Polymer cover. Compatible with CBRD	19,50
ZTCOV1	ZT	Polymer cover. Compatible with CBRD	19,50



ZXCOV1



Carlotta Manzotti - Beretta hunter and shooter

Comparative Red Dot measurements

Metric units			
Red Dot model	MOA	Distance*	Diameter** in mm
ZR - 2	2	10 Meters	5,8 mm
		30 Meters	17,4 mm
		50 Meters	29 mm
		100 Meters	58 mm
ZR - 4 ZX - 4	4	10 Meters	11,6 mm
		30 Meters	34,8 mm
		50 Meters	58 mm
		100 Meters	116 mm
ZR - 6 ZX - 6 ZT - 6	6	10 Meters	17,4 mm
		30 Meters	52,2 mm
		50 Meters	87 mm
		100 Meters	174 mm
ZR - 8 ZX - 8	8	10 Meters	23,2 mm
		30 Meters	69,6 mm
		50 Meters	116 mm
		100 Meters	232 mm
ZR - 10	10	10 Meters	29 mm
		30 Meters	87 mm
		50 Meters	145 mm
		100 Meters	290 mm
ZR - 16	16	10 Meters	46,4 mm
		30 Meters	139,2 mm
		50 Meters	232 mm
		100 Meters	464 mm

*Distance: target distance.

**Diameter: size of the Red Dot area on a target at that given distance.

Imperial units

Model Red Dot	MOA	Distance*	Diameter** in inches
ZR - 2	2	10 Yarde	0,2 In
		30 Yarde	0,62 In
		50 Yarde	1,04 In
		100 Yarde	2,09 In
ZR - 4 ZX - 4	4	10 Yarde	0,41 In
		30 Yarde	1,25 In
		50 Yarde	2,09 In
		100 Yarde	4,18 In
ZR - 6 ZX - 6 ZT - 6	6	10 Yarde	0,62 In
		30 Yarde	1,88 In
		50 Yarde	3,14 In
		100 Yarde	6,28 In
ZR - 8 ZX - 8	8	10 Yarde	0,83 In
		30 Yarde	2,51 In
		50 Yarde	4,16 In
		100 Yarde	8,37 In
ZR - 10	10	10 Yarde	1,04 In
		30 Yarde	3,14 In
		50 Yarde	5,2 In
		100 Yarde	10,46 In
ZR - 16	16	10 Yarde	1,67 In
		30 Yarde	5,02 In
		50 Yarde	8,32 In
		100 Yarde	16,74 In

*Distance: target distance.

**Diameter: Size of the Red Dot area on a target at that given distance.

Revolution Stock





NEW STOCK WITH REVOLUTIONARY INTEGRATED AIMING SYSTEM

- The rearward positioning of the red dot improves visibility and target acquisition
- Stock height adjustment of 12mm
- 2 QD quick release attachments
- Made of technical polymer which makes it light and resistant
- Ergonomic and non-slip handle, improves grip and positioning on the trigger
- It is possible to apply the most popular red dots on the market
- Available for Benelli, Browning, Winchester and Remington semi-automatic rifles



The innovative aspect of this aiming system is the positioning of the red dot closer to the eye compared to traditional aiming systems. As can be seen from the comparison figures below, the field of vision perceived by the shooter with the Revolution Stock is superior to the field of vision of a traditional aiming system. It is also possible to aim with both eyes open while keeping your gaze fixed on the target. Thanks to the adjustable stock, the shooter can adjust the height according to his needs and hold the rifle while always finding the center of the red dot.



HOW TO CHOOSE THE STOCK

- Choose the **Right-handed** or **Left-handed** table
- Choose the brand and model of the rifle
- Choose between “**TYPE A**” or “**TYPE B**” depending on which red dot you want to mount (check page 13)

Right-handed shooter stocks

Code	Brand	Model	Red Dot base	Price €
PYSBEACA	Benelli	Argo E Progressive Comfort	Type “A”	299,00
PYSBEACB	Benelli	Argo E Progressive Comfort	Type “B”	299,00
PYSBEALA	Benelli	Argo / Argo E	Type “A”	299,00
PYSBEALB	Benelli	Argo / Argo E	Type “B”	299,00
PYSBRBARA	Browning	Bar 2	Type “A”	299,00
PYSBRBARB	Browning	Bar 2	Type “B”	299,00
PYSBRA	Browning	Long / Short Trac	Type “A”	299,00
PYSBRB	Browning	Long / Short Trac	Type “B”	299,00
PYSBRMKA	Browning	MK3	Type “A”	299,00
PYSBRMKB	Browning	MK3	Type “B”	299,00
PYSBRMKHA	Browning	MK3 HC	Type “A”	299,00
PYSBRMKHB	Browning	MK3 HC	Type “B”	299,00
PYSWSXR2A	Winchester	SXR2	Type “A”	299,00
PYSWSXR2B	Winchester	SXR2	Type “B”	299,00
PYSWSXRA	Winchester	SXR	Type “A”	299,00
PYSWSXRB	Winchester	SXR	Type “B”	299,00
PYSREA	Remington	7400 - 750	Type “A”	299,00
PYSREB	Remington	7400 - 750	Type “B”	299,00

Left-handed shooter stocks

Code	Brand	Model	Red Dot base	Price €
PYSBEACSA	Benelli	Argo E Progressive Comfort	Type “A”	299,00
PYSBEACSB	Benelli	Argo E Progressive Comfort	Type “B”	299,00
PYSBEALSA	Benelli	Argo / Argo E	Type “A”	299,00
PYSBEALSB	Benelli	Argo / Argo E	Type “B”	299,00
PYSBRBARSA	Browning	Bar 2	Type “A”	299,00
PYSBRBARSB	Browning	Bar 2	Type “B”	299,00
PYSBRSA	Browning	Long / Short Trac	Type “A”	299,00
PYSBRSB	Browning	Long / Short Trac	Type “B”	299,00
PYSBRMKSA	Browning	MK3	Type “A”	299,00
PYSBRMKSB	Browning	MK3	Type “B”	299,00
PYSBRMKHSA	Browning	MK3 HC	Type “A”	299,00
PYSBRMKHSB	Browning	MK3 HC	Type “B”	299,00
PYSWSXR2SA	Winchester	SXR2	Type “A”	299,00
PYSWSXR2SB	Winchester	SXR2	Type “B”	299,00
PYSWSXRSA	Winchester	SXR	Type “A”	299,00
PYSWSXRSB	Winchester	SXR	Type “B”	299,00
PYSRESA	Remington	7400 - 750	Type “A”	299,00
PYSRESB	Remington	7400 - 750	Type “B”	299,00

TYPE A



Compatibility:

- BURRIS FAST FIRE 2 / 3 / 4
- EOTECH MRDS
- JPOINT RMD
- LEUPOLD DELTA POINT PRO
- SHIELD SMS / RMS
- SIG ROMEO 1
- VORTEX VIPER / VENOM

TYPE B



Compatibility:

- C-MORE RTS2-STS2
- MEOPTA MEOSIGHT III / MEORED
- TRIJICON RMR
- SIG ROMEO 3
- BENTLEY TSX6
- VORTEX RAZOR
- TONI SYSTEM ZR / ZT / ZX

Additional accessories

Multi Red dot base

Code	Type	Description	Price €
OPXREVA	A	BURRIS FAST FIRE 2-3-4, EOTECH MRDS, JPOINT RMD, LEUPOLD DELTA POINT PRO, SHIELD SMS-RMS, SIG ROMEO 1, VORTEX VIPER, VORTEX VENOM	78,00
OPXREVB	B	C-MORE RTS2-STS2, MEOSIGHT III, MEORED, TRIJICON RMR, SIG ROMEO 3, BENTLEY TSX6, VORTEX RAZOR, TONI SYSTEM ZR / ZT / ZX	78,00

Belt attachment Replacement

Code	Description	Material	Price €
ACSTOCK	Standard belt attachment for TST and Revolution Stock	Aluminum	25,70
QDSTOCK	QD belt attachment for TST and Revolution Stock	Aluminum	25,70



ACSTOCK



QDSTOCK

Buttstock spacer

Code	Description	Material	Price €
PYSPCS	Buttstock spacer for stock +8mm	Polymer	25,70
PYSPC16	Buttstock spacer for stock +16mm	Polymer	33,70

It is possible to stack multiple spacer on top of each other to achieve the desired thickness



PYSPCS



Enrico Montini - Hunter



Sight rib

How it was born:

The Toni System rib was born from the needs of hunters, especially wild boar hunters, who, switching from the use of a smoothbore to a rifled rifle, had to adapt to a new type of sight. Hunters needed a way to go from a simple rib with a ball sight to the front sight and rear sight of the new rifles. Thus was born the idea of creating a rib for rifles with rifled barrels which, on the one hand, allowed the same fast collimation to which hunters were accustomed, and on the other also allowed the adjustment of the shot.

Realization:

Created from an Ergal bar by exporting shavings, the load-bearing structure of the rib is obtained, which has an unmistakable line and design and a shape that allows for phenomenal resistance to blows. At the end of processing, the product is treated with a black anodic process. A red fiber optic front sight is applied to the structure and a green fiber optic rear sight in the middle. The rib is fixed to the weapon without transforming its constituent characteristics, but using the original holes made by the manufacturers.

Operation:

The Toni System rib finds its maximum functionality in places where light is reduced but above all in thick woods where space and shooting time are less.

To date, the Toni System sighting system is applied not only to hunting rifles, but also to semi-automatic smoothbore shotguns, for those shooters and hunters who want to have a fast and precise weapon. Our rib has also had great success in the dynamic shooting sector and is used by world-renowned sports shooters.

How to choose the sight rib




Fig.1

Phase 1:

- Check the Brand and Model of the weapon
- Check the caliber
- Measure the length of the barrel (from the muzzle to the beginning of the chamber)
- Remove the front sight and the rear sight

Phase 2:

- Using the information collected, consult the “Ribs” table (page 17). If there are multiple models of rib for the same weapon, it will be necessary to check the distance between the centers of the holes (Holes spacing).
- We will use the image above (Fig.1) as a reference to take the measurements of our wheelbase (there are 4 holes marked with the letters “A,B,C,D”). In this case the correct center distance starts from hole B to hole C, but it could be different depending on the Brand and Model of the rifle.

How to check the distance between holes:

- Take a millimeter ruler (rigid ruler, the “meter” is not good) and place it on the first hole of the front sight (A), and check on the table if one of the measurements matches one of the two holes of the rear sight (C or D). If none of the measurements are correct, move the ruler to the second hole in the front sight (B) and check on the table whether one of the measurements matches one of the two holes in the rear sight (C or D).
- Once the correct rib model has been identified, you can proceed with the order by communicating the code.

N.B. In the table “Ribs” (page 17), under “ABCD Holes”, there are letters according to the model, to simplify the correct choice of rib.


Ribs

Code	Brand	Models	Barrel lenght	Holes Spacing "I"	Holes "ABCD"	Price €
BCA1N	Benelli	Argo - Argo E	510 mm	346 mm	B - C	240,00
BCA2N	Benelli	Argo - Argo E	560 mm	414 mm	A - C	240,00
BCA9N	Benelli	Argo - Argo E	560 mm	414 mm	A - C	240,00
BCA13N	Benelli	Argo R1	610 mm	465 mm	A - C	240,00
BCA27N	Benelli	Argo E Battue	470 mm	308 mm	B - C	240,00
BCA38N	Benelli	Argo E Battue	470 mm	296 mm	B - C	240,00
BCA37N	Benelli	Endurance filettata	510 mm	334,5 mm	B - C	240,00
BCB18N	Browning	Affut boss	560 mm	365 mm	-	240,00
BCB3N	Browning	Long Trac	520 mm	400 mm	A - D	240,00
BCB3N	Browning	Short Trac	520 mm	400 mm	A - D	240,00
BCB29N	Browning	Bar	610 mm	437 mm	-	240,00
BCB24N	Browning	Bar 2	520 mm	396 mm	A - D	240,00
BCB4N	Browning	Bar 2	520 mm	397 mm	A - D	240,00
BCB4NL	Browning	Bar 2	520 mm	398 mm	A - D	240,00
BCB22N	Browning	Bar 2	560 mm	436 mm	A - C	240,00
BCB5N	Browning	Bar 2	560 mm	437 mm	A - C	240,00
BCB5NL	Browning	Bar 2	560 mm	438 mm	A - C	240,00
BCW36N	Browning	MK3 Tracker filettata	470 mm	335,5 mm	A - C	240,00
BCB20N	Browning	Tracker	470 mm	348 mm	A - C	240,00
BCB31N	Browning	Tracker con anello	470 mm	348 mm	A - C	240,00
BCB25N	Browning	MK3	530 mm	411 mm	A - C	240,00
BCB4NL	Browning	Bar MK3 filettata	530 mm	398 mm	A - C	240,00
BCB32N	Browning	Bar MK3 composite filettata	560 mm	426,5 mm	-	240,00
BCB33N	Browning	MK3 filettata	520 mm	389,8 mm	A - D	240,00
BCB34N	Browning	MK3 filettata	530 mm	386 mm	A - C	240,00
BCH11N	Heckler&Koch	SLB2000	510 mm	310 mm	-	240,00
BCH17N	Heckler&Koch	SLB2000	510 mm	297 mm	-	240,00
BCM12N	Merkel	SR1	510 mm	308 mm	-	240,00
BCM14N	Merkel	SR1	510 mm	317 mm	-	240,00
BCR8N	Remington	7400-750	470 mm	304 mm	A - D	240,00
BCR15N	Remington	7400-750	550 mm	378 mm	A - C	240,00
BCR16N	Remington	7400-750	550 mm	380 mm	A - C	240,00
BCV7N	Verney Carron	Impact Auto	520 mm	356 mm	-	240,00
BCW6N	Winchester	SXR Vulcan	520 mm	426 mm	A - C	240,00
BCW28	Winchester	SXR Vulcan Tracker	470 mm	362 mm	A - C	240,00
BCW36N	Winchester	SXR2 Tracker	470 mm	335,5 mm	A - C	240,00
BCB4NL	Winchester	SXR2 filettata	530 mm	398 mm	A - C	240,00

Sight and rear sights

Replacement sights for Toni System ribs

Code	Fiber diameter	Height	Length	Fiber color	Price €
M40R1	1,0 mm	4,0 mm	25 mm	Red	18,00
M40V1	1,0 mm	4,0 mm	25 mm	Green	18,00
M40R	1,5 mm	4,0 mm	25 mm	Red	18,00
M40V	1,5 mm	4,0 mm	25 mm	Green	18,00
M44R*	1,5 mm	4,4 mm	25 mm	Red	18,00
M44V	1,5 mm	4,4 mm	25 mm	Green	18,00
M48R	1,5 mm	4,8 mm	25 mm	Red	18,00
M48V	1,5 mm	4,8 mm	25 mm	Green	18,00



* M44R standard equipment for Toni System ribs


Threaded sights

Code	Fiber diameter	Thread diameter	Length	Fiber color	Price €
MR2615	1,5 mm	2,6 mm	12 mm	Red	9,50
MV2615	1,5 mm	2,6 mm	12 mm	Green	9,50
MR26	2,0 mm	2,6 mm	12 mm	Red	9,50
MV26	2,0 mm	2,6 mm	12 mm	Green	9,50
MR30	2,0 mm	3,0 mm	12 mm	Red	9,50
MV30	2,0 mm	3,0 mm	12 mm	Green	9,50
MR40	2,0 mm	4,0 mm	12 mm	Red	9,50
MV40	2,0 mm	4,0 mm	12 mm	Green	9,50



Dovetail sights

Code	Fiber diameter	Height	Fiber color	Price €
CRH7	1,5 mm	7,0 mm	Red	11,00
CVH7	1,5 mm	7,0 mm	Green	11,00
CRH8	1,5 mm	8,0 mm	Red	11,00
CVH8	1,5 mm	8,0 mm	Green	11,00
CRH9	1,5 mm	9,0 mm	Red	11,00
CVH9	1,5 mm	9,0 mm	Green	11,00
CRH10	1,5 mm	10,0 mm	Red	11,00
CVH10	1,5 mm	10,0 mm	Green	11,00
CRH11	1,5 mm	11,0 mm	Red	11,00
CVH11	1,5 mm	11,0 mm	Green	11,00
CRH12	1,5 mm	12,0 mm	Red	11,00
CVH12	1,5 mm	12,0 mm	Green	11,00



Polymer sights for 12 gauge slug barrels

Code	Fiber diameter	Fiber color	Price €
PYMR2SL12-GR	2 mm	Green	28,00
PYMR2SL12-RE	2 mm	Red	28,00




PYMR2SL12-GR



PYMR2SL12-RE

Adhesive sights

Code	Fiber diameter	Width	Length	Fiber color	Price €
MADR	1,5 mm	6 mm	25 mm	Red	18,00
MADV	1,5 mm	6 mm	25 mm	Green	18,00



C-profile sights

Code	Fiber diameter	Internal width	Length	Fiber color	Price €
MR81	1,0 mm	8,1 mm	15 mm	Red	18,00
MV81	1,0 mm	8,1 mm	15 mm	Green	18,00
MR6	1,5 mm	8,1 mm	15 mm	Red	18,00
MV6	1,5 mm	8,1 mm	15 mm	Green	18,00
MR7	1,5 mm	8,1 mm	15 mm	Red	18,00
MV7	1,5 mm	8,1 mm	15 mm	Green	18,00
MR8	1,5 mm	8,1 mm	15 mm	Red	18,00
MV8	1,5 mm	8,1 mm	15 mm	Green	18,00
MR10	1,5 mm	10,1 mm	15 mm	Red	18,00
MV10	1,5 mm	10,1 mm	15 mm	Green	18,00



C profile rear sights

Code	Fiber diameter	Internal width	Length	Fiber color	Price €
TR81	1,0 mm	8,1 mm	15 mm	Red	18,00
TV81	1,0 mm	8,1 mm	15 mm	Green	18,00
TR6	1,5 mm	8,1 mm	15 mm	Red	18,00
TV6	1,5 mm	8,1 mm	15 mm	Green	18,00
TR7	1,5 mm	8,1 mm	15 mm	Red	18,00
TV7	1,5 mm	8,1 mm	15 mm	Green	18,00
TR8	1,5 mm	8,1 mm	15 mm	Red	18,00
TV8*	1,5 mm	8,1 mm	15 mm	Green	18,00
TR10	1,5 mm	10,1 mm	15 mm	Red	18,00
TV10	1,5 mm	10,1 mm	15 mm	Green	18,00



* TV8 standard equipment for Toni System ribs

Red dot base



Multi Red dot base for Benelli, Browning, Winchester base

Code	Type	Description	Price €
OPXBBWA	A	BURRIS FAST FIRE 2-3-4, EOTECH MRDS, JPOINT RMD, LEUPOLD DELTA POINT PRO, SHIELD SMS-RMS, SIG ROMEO 1, VORTEX VIPER, VORTEX VENOM	80,00
OPXBBWB	B	C-MORE RTS2-STS2, MEOSIGHT III, MEORED, TRIJICON RMR, SIG ROMEO 3, BENTLEY TSX6, VORTEX RAZOR, TONI SYSTEM ZR / ZT / ZX	80,00

Compatibility: Benelli - Argo / Browning - Bar, MK3, Short Track, Long Track / Winchester - SXR Vulcan, SXR2

Multi Red dot base for Beretta 1301 COMP and A400 Xtreme

Code	Type	Description	Price €
OPX1301A	A	BURRIS FAST FIRE 2-3-4, EOTECH MRDS, JPOINT RMD, LEUPOLD DELTA POINT PRO, SHIELD SMS-RMS, SIG ROMEO 1, VORTEX VIPER, VORTEX VENOM	80,00
OPX1301B	B	C-MORE RTS2-STS2, MEOSIGHT III, MEORED, TRIJICON RMR, SIG ROMEO 3, BENTLEY TSX6, VORTEX RAZOR, TONI SYSTEM ZR / ZT / ZX	80,00

TYPE A



TYPE B



Compatibility:

- BURRIS FAST FIRE 2 / 3 / 4
- EOTECH MRDS
- JPOINT RMD
- LEUPOLD DELTA POINT PRO
- SHIELD SMS / RMS
- SIG ROMEO 1
- VORTEX VIPER / VENOM

Compatibility:

- C-MORE RTS2-STS2
- MEOPA MEOSIGHT III / MEORED
- TRIJICON RMR
- SIG ROMEO 3
- BENTLEY TSX6
- VORTEX RAZOR
- TONI SYSTEM ZR / ZT / ZX

Picatinny rails



Code	Brand	Model	Price €
W111N	Benelli	Argo	32,00
W112N	Browning	Bar / Short - LongTrac / MK3	32,00
W113N	Winchester	SXR Vulcan	32,00
W114N	Remington	7400 - 7600 - 750	32,00
W115N	Marlin	1895	39,50
W116N	Heckler&Koch	SLB 2000	39,50
W119N	Merkel	SR1 4 fori	39,50
W120N	Merkel	SR1 5 fori	39,50

Nota: 4 torx screw are included





Carlotta Manzotti - Beretta hunter and shooter

Oversized buttons and safeties

Universal oversized buttons 12 and 20 gauge

Code	Dimensions	Description	Price €
PMM2	10 x 30 mm	M3 screw	21,50
PMM3	16 x 42 mm	M4 screw, central hole	26,00
PMM5	16 x 42 mm	M4 screw, side hole	26,00
PRM2	D 19 mm	M4 screw, rounded model	21,50

Note: Screw included. For assembly it is necessary to drill the original button



PRM2-BK



PMM2-BK



PMM3-BK

Oversized buttons for Beretta 1301 12 and 20 gauge

Code	Dimensions	Description	Price €
PM1301C	16,25 x 42 mm	M4 screw - symmetrical	26,00
PM1301CS	16,25 x 42 mm	M4 screw - asymmetrical	26,00

Note: Screw included. For assembly it is necessary to drill the original button



PM1301C-BK



PM1301CS-BK

Oversized buttons for Breda B12i 12 and 20 gauge

Code	Dimensions	Description	Price €
PMM8	16 x 42 mm	M4 screw included	26,00

Note: Screw included. For assembly it is necessary to drill the original button



PMM8-BK

Oversized buttons for Benelli M2 SP 12 and 20 gauge

Code	Dimensions	Description	Price €
PMM6	16 x 42 mm	M3 screw - asymmetrical	26,00
PMM7	16 x 42 mm	M3 screw - symmetrical	26,00

Note: Screw included. For assembly it is necessary to drill the original button



PMM6-BK



PMM7-BK

Oversized safety for Benelli / Franchi ga.12

Code	Description	Price €
SITA	Tactical	27,00
SISP	Sport	24,00

Compatibility: Benelli M1/M2 - Franchi Affinity / Intensity



SITA



SISP

Oversized bolt handles

Bolt handle for Beretta ga. 12

Code	Model	Length	Price €
LABA300T	A300 - A301 - A302 - A303 - A304 - A390	26 mm	30,50
LABA300T	AL391 Urika basic / Light black / Light white / Urika 2 gold / Urika 2 classic / Urika 2 syntethic / Urika 2 camo realtree /Greystone / Stonecoat / Stonecoat gold / Stonecoat gold sporting	26 mm	30,50
LABA300T	A300 Outlander Syntethic / Camo max 4 / Silver	26 mm	30,50
LAB3T	A391 Xtrema 2 syntethic / Xtrema 2 camo realtree	26 mm	30,50
LAB3T	A400 Xplor Light / Unico / Action / Action mancino	26 mm	30,50
LAB3T	A400 Xtreme unico Syntethic / Camo max 4 / Camo max 5 / Camo max 5 mancino	26 mm	30,50
LAB3T	A400 Xtreme plus Syntethic / Camo max 5 / Camo mossy oak bottomland	26 mm	30,50
LAB3T	A400 Lite Syntethic / Syntethic mancino / Camo max	26 mm	30,50
LAB3T	A400 Ultra Lite - A400 Upland	26 mm	30,50
LAB3T	A400 Xcel Multitarget / Parallel target / Sporting / Sporting Black	26 mm	30,50
LAB3T	1301 - TX4 Comp / Comp pro / Tactical / Tactical FDE / Tactical OD green / Tactical inox-marine	26 mm	30,50

Bolt handle for Benelli ga. 12

Code	Model	Length	Price €
LAM2T	Super 90 Montefeltro (prima serie) / Super 90 / Duca / Extra leggero / Centro / Mancino / Mancino E	26 mm	30,50
LAM2T	Montefeltro Montefeltro / Duca / Extra leggero / Centro (nuova serie) / Beccaccia / Ultra light / Beccaccia supreme / Comfort / Montefeltro mancino / Duca mancino	26 mm	30,50
LAM2T	Raffaello (prima serie) Black eagle / 121 / 123 / Special lusso / Serie limitate (prima serie) / Executive	26 mm	30,50
LAM2T	Raffaello (seconda serie) Elegant / Criocomfort / Crio / Crio evo / De luxe / Serie limitate (nuova serie) / Venti slug / Crio 28 / Mancino	26 mm	30,50
LAM2T	Super black eagle - Super black eagle II Camo / Mancino / Rigato / Mancino camo	26 mm	30,50
LAM2T	M1 - M2 Pro / Camo / Tactical / Practical / Mancino	26 mm	30,50
LAM2T	M3 Super 90 M3 Super 90 / Kromo / Tactical / Folding stock / Combat / Black	26 mm	30,50
LAM4T	M3 07	26 mm	30,50
LAM4T	M4 Super 90	26 mm	30,50

Bolt handle for Winchester ga. 12

Code	Model	Length	Price €
LASX3	SX3	32 mm	30,50
LASX4	SX4	32 mm	30,50



LASX4-BK

Bolt handle for Breda ga. 12

Code	Model	Length	Price €
LAB12IT	B12i - Titano - Echo - Astro - B3.5SM - 930i - B12iS	26 mm	30,50



LAB12IT-BK

Bolt handle for Marocchi ga. 12

Code	Model	Length	Price €
LAB12IT	Vero - I-First - Nexus One	26 mm	30,50



Bolt handle for Beretta ga. 20

Code	Model	Length	Price €
20LABA300T	A300 - A301 - A302 - A303 - A304 - A390	26 mm	30,50
20LABA300T	AL391 Urika basic / Light black / Light white / Urika 2 gold / Urika 2 classic / Stonecoat / Stonecoat gold / Stonecoat gold sporting	26 mm	30,50
20LAB3T	A400 Xplore - A400 Lite - A400 Xcel Action / Synthetic / Camo max / Compact / Sporting	26 mm	30,50

Bolt handle for Benelli ga. 20

Code	Model	Length	Price €
20LAM2T	Super 90 Montefeltro 20 / Montefeltro 20E	26 mm	30,50
20LAM2T	Montefeltro Montefeltro 20 / Duca 20 / Beccaccia 20 / Ultra light 20 / Comfort 20	26 mm	30,50
20LAM2T	Raffaello (prima serie) Special / Serie limitate (prima serie)	26 mm	30,50
20LAM2T	Raffaello (nuova serie) Crio 20 / Serie limitate (nuova serie) / 20 Slug / Lord 20	26 mm	30,50
20LAM2T	M1 M1 20	26 mm	30,50
20LAM2T	M2 M2 20 / M2 Camo 20	26 mm	30,50

Bolt handle for Franchi ga. 20

Code	Model	Length	Price €
20LAM2T	Affinity	26 mm	30,50



20LAB300T-BK



LAB3T-BK



20LAM2T-SA

Kit for adjustable stock

Ideal for hunting and shooting, these kits are designed to accommodate different adjustment needs, achieving an excellent compromise between ease of installation and functionality.

Below you will find the full range.


Height and deviation adjustable stock kit



PROM31



Kit for adjustable stock "PRO"

Code	Description	Mechanism external dimensions	Pin length	Useful height	Price €
PROM21			21 mm	0 - 13 mm	89,00
PROM31	Adjustable in height and deviation		31 mm	0 - 22 mm	94,00
PROM44			44 mm	0 - 34 mm	99,00

Kit for adjustable stock "MINI"

Code	Description	Mechanism external dimensions	Pin length	Useful height	Price €
MINPRO21			21 mm	0 - 13 mm	89,00
MINPRO31	Adjustable in height and deviation		31 mm	0 - 22 mm	94,00
MINPRO44			44 mm	0 - 34 mm	99,00

Kit for adjustable stock "MICRO"


Code	Description	Mechanism external dimensions	Pin length	Useful height	Price €
MICPRO21			21 mm	0 - 13 mm	89,00
MICPRO31	Adjustable in height and deviation		31 mm	0 - 22 mm	94,00
MICPRO44			44 mm	0 - 34 mm	99,00

Butt-plate kit for adjustable stock in length

The kit's components have the following measurements:

- base on the butt-plate - 4 mm (A)
- base on the stock - 8 mm (B)

The butt-plate is not included in the kit.
For assembly, check the website
www.tonisystem.it



Code	Description	Length pin	Useful length	Deviation LEFT	Deviation RIGHT	Price €
RLM21		21 mm	0 - 13 mm	-	-	85,00
RLM31	Adjustable in height	31 mm	0 - 22 mm	-	-	90,00
RLM44		44 mm	0 - 34 mm	-	-	95,00
RLVM21		21 mm	0 - 13 mm	5 mm	5 mm	99,00
RLVM31	Adjustable in height and deviation	31 mm	0 - 22 mm	5 mm	5 mm	104,00
RLVM44		44 mm	0 - 34 mm	5 mm	5 mm	109,00

Measurements for checking compatibility

Fig. 1 Internal mechanism, where there are holes there must be some material to apply the screws.

Fig. 2 Plastic attachment, it must be larger than the stock as it will have to be ground later to follow its shape.

Fig. 3 Example measurements to indicate the minimum dimensions of compatible stock.




Fig.1



Fig. 2




Fig. 3

Butt-plate kit for adjustable stock in deviation and rotation



The kit's components have the following measurements:

- base on the butt-plate - 4 mm (A)
- base on the stock - 8 mm (B)

The butt-plate is not included in the kit. For assembly, check the website www.tonisystem.it

Code	Description	Vertical	Lateral	Rotation	Price €
RLH1	Adjustable vertically, laterally and rotationally	7 mm	8 mm	20°	82,50

Adhesive soft cheek pad

In addition to cushioning the recoil to the shooter's face, it also acts as a riser, and is available in 3 sizes.

Code	Thickness	Material	Price €
GS1	4 mm	Neoprene	16,00
GS2	2 mm	Neoprene	16,00
GS3	6 mm	Neoprene	16,00

Note: Applicable on wood and polymer stocks





Aniello Sgambato - Campione Modified Shotgun 2023



Carlotta Manzotti - Beretta hunter and shooter



Francesco Toni - Toni System founder

Cheek rest for Beretta BRX1

This product was made especially for the Beretta BRX1 and is applied by replacing the original shim.

The elevation is not adjustable, but allows the bolt to be removed without disassembling anything.



PYGRBBRX1


Code	Brand	Description	Price €
PYGRBBRX1	Beretta	Rise of +15 mm	74,00

Universal adjustable cheek pad

This adjustable cheek rest is a patented system that can be applied to the stock of most commercially available rifles, whether wood or polymer.

It can be installed in two ways: by self-tapping screws, or by a special high-strength double-sided adhesive that does not damage the rifle stock.

Another feature of this product is the 10 levels of quick adjustment up to +18 mm using the special knobs.



PYGUNIS



PYGUNIS



PYGUNISC

Code	Shooter hand	Measures	Description	Price €
PYGUNIS	Right	16,5 cm	10 adjustment levels, maximum rise +18mm	119,00
PYGUNISSX	Left	16,5 cm	10 adjustment levels, maximum rise +18mm	119,00
PYGUNISC	Right	10,5 cm	10 adjustment levels, maximum rise +18mm	99,00
PYGUNISCSX	Left	10,5 cm	10 adjustment levels, maximum rise +18mm	99,00

Nota: Kit includes screws and special double-sided adhesive tape

Magazine tube extensions

Toni System makes ultralight aluminum magazines tubes machined from billet.

The inner part is polished to a mirror finish so as to have maximum smoothness.

“HUNTER” line includes the internal reducer and belt holder, which differentiates it from “SPORT” series.

N.B. Please inquire about the regulations of use according to the territory

Guide to choosing a magazine tube extension

To order the tube compatible with your weapon you need to consult the following tables and indicate the corresponding Code..

BRAND Code + MAGAZINE EXTENSION TUBES Code Es. K1-PS4H

Tab.1 - ga. 12

Brand	Model	Code
Benelli	M1 - M2	K1
Benelli	M3	K2
Benelli	M4	K3
Benelli	Nova - Supernova	K4
Breda	B12I - Astro Synt - B3.5SM	K1
Beretta	1301 - TX4 - Storm - xtrema	K5
Beretta	A391 - A400 xtreme unico - A400 xtreme plus - A400 lite - A350 xtrema camo	K22
Winchester	SX3	K6
Winchester	SX4	K25
Winchester	SXP	K7
Franchi	Affinity	K8
Franchi	612-619 / Prestige	K9
Iron	Competition	K10
Mossberg	JM PRO / 930 / 935	K11
Remington	870	K24
Stoeger	2000	K13
Stoeger	M3000	K14
Fabarm	XLR	K15
Baikal	MP153	K16
Hatsan	Optima escort	K17
Akkar	Akkar	K18
Marocchi	ATA - A12 - VERO	K19
Browning	Fusion	K20
Browning	A5	K23
Bernardelli	Mega	K21

Tab.2 - ga. 20

Brand	Model	Code
Benelli	M1 - M2	J1
Beretta	A391 - A400 xtreme unico - A400 xtreme plus - A400 lite - A350 xtrema camo	J22
Franchi	Affinity	J8

Magazine tube extension

Code	Total lenght	Description	Gauge	Price €
PS3H	245 mm	+3 rounds with shot reducer and belt ring	12	163,50
PS4H	305 mm	+4 rounds with shot reducer and belt ring	12	163,50
PS4HMC	Kit: tubes +4, barrel clamp, spring (PS4H + ASTC2 + MS2C)		12	213,20
20PSL185	185 mm	+2 rounds with shot reducer and belt ring	20	148,20
20PSL245	245 mm	+ 3 rounds with shot reducer and belt ring	20	148,20
20PSL305	305 mm	+ 4 rounds with shot reducer and belt ring	20	148,20

Magazine springs

Code	Description	Gauge	Price €
MS2C	magazine spring	12	15,00
MS3	magazine spring	20	15,00

Note: The springs provided may be longer. If so, they will have to be adjusted.



Barrel clamp

Code	Model	Material	Weight	Gauge	Price €
ASTC1	Barrel clamp ga.12	Aluminum	49,5 g	12	38,00
ASTC2	Reduced barrel clamp	Aluminum	46,5 g	12	35,00
ASTCT	Tactical barrel clamp	Aluminum	74,9 g	12	35,00
ASTCTP	Kit (ASTCT + PICAST)	Aluminum	94,8 g	12	49,00
PICAST	Picatinny for ASTCT	Aluminum	16,9 g	12	16,00
ASTCTAC	Kit (ASTCT + ACAST)	Aluminum	84,6 g	12	50,00
ACAST	Standard belt attachment for ASTCT	Aluminum	9,7 g	12	25,70
ASTCTQD	Kit (ASTCT + QDAST)	Aluminum	84,9 g	12	50,00
QDAST	QD attachment for ASTCT	Aluminum	10 g	12	25,70
PYASTCQD	Barrel clamp with integrated QD attachment	Polymer	24,41 g	12	33,00
PYASTC20	Barrel clamp ga.20	Polymer	13,59 g	20	25,00



ASTC1-BK



ASTC2-BK



ASTCT-BK



ASTCTP-BK



PYASTC20



PYASTCQD




ACAST




QDAST



PICAST-BK



QDAST applied on ASTCT



ACAST applied on ASTCT

Notes: _____

Notes: _____

STAY IN TOUCH WITH US



Tonisystem_official



Tonisystem



Toni System



www.tonisystem.it



info@tonisystem.it



Phone: +39 0744 1907477



WhatsApp: +39 327 7778203



Toni Vito S.r.l.
Loc. San Biagio snc - 02046 Magliano Sabina (Ri) - Italy
www.tonisystem.it - info@tonisystem.it